

DIAMOND TOOLS FOR FLOOR GRINDERS

When it comes to surface preparation and tools that polish, grind concrete surfaces or remove previous treatments, we're often talking about work that is both difficult, strenuous and time consuming. By listening to our customers we have been able to build a range of tools to fit every step of the surface preparation process. Whatever level of finish you are looking for, Husqvarna offers an array of tools developed for use with most materials. From the hardest concrete floor to the most abrasive, to meet demands for cutting speed and surface finish.

EZ TOOL SYSTEM



A complete system of premium diamond tools for removal, grinding, polishing and special applications (natural stone, wood). This tool system fits on all grinders of the HTC system and all grinders equipped with the tool holder Multi (most large PG grinders). The tool holder Multi can be refitted on most grinders to allow usage of the EZ tool system and the Redi tool system. For the Blastrac system, new adapters to the EZ tool system are available.

DISCOVER THE
COMPLETE RANGE OF EZ
TOOL SYSTEM FROM

PAGE 46 TO PAGE 53

REDI TOOL SYSTEM



The Redi-Lock(R) tools were originally developed for PG grinding machines. With the tool holder Multi they fit equally well on HTC grinders.

DISCOVER THE
COMPLETE RANGE OF
REDI TOOL SYSTEM HERE:

husqvarnaconstruction.com

SLIDEMAG TOOL SYSTEM




The Slidemag tools were originally developed for grinding machines of the Blastrac System. Slidemag allows fast sliding on and off of the tool holder.

DISCOVER THE COMPLETE
RANGE OF SLIDEMAG TOOL
SYSTEM HERE:

www.blastrac.eu

TOOL HOLDER MULTI




- EZchange™
- Redi Lock®



EZ HOLDER



SLIDEMAG HOLDER WITH EZ ADAPTER



TOOL HOLDER REDI-LOCK



SLIDEMAG HOLDER




EZ TOOL SYSTEM

OVERVIEW










CONCRETE GRINDING – METAL TOOLS

		S	M	H	X	XX	
GRINDING	#25	S2 	M2 	H2 	X2 	XX2 	
	#40	S3 	M3 	H3 	X3 	XX3 	
	#80	S4 	M4 	H4 	X4 	XX4 	
HONING / TRANSITIONAL	#100/150	S5 	M5 	H5 	X5 		
	#200						
	#400						
FINE POLISHING	#800						
	#1500						
	#3000						
		EZCHANGE™ ABRASIVE, COARSE AND UNEVEN SURFACES		EZCHANGE™ MEDIUM TO HARD CONCRETE GRINDING		EZCHANGE™ EXTREMELY HARD CONCRETE GRINDING	

 Metal bond tools

 Resin bond tools

SURFACE PREP TOOLS

FLOOR PREPARATION COATINGS REMOVAL	 RAVAGER	 EZ PREP 0		 T-Rex[™]Super	 T-Rex[™]Classic
	 EZ PREP S1	 EZ PREP M1	 EZ PREP H1	 T-Rex[™]Dome	 T-Rex[™]Rings
	RAVAGER: BUSH HAMMERED SURFACE EZ PREP S1: COATINGS 0-1MM SURFACE LEVELLING	EZ PREP 0: COATINGS 0-2 MM EZ PREP M1 / H1: COATINGS 1-3 MM		T-REX [™] CLASSIC/SUPER/RINGS: COATINGS 1-3 MM T-REX [™] DOME: COATINGS >3 MM	

CONCRETE POLISHING – RESIN TOOLS

SPECIAL APPLICATIONS

NATURAL STONE

SP

SF

DIAMOND BLOCKS

DIAMOND FENIX

DIAMOND XPRESS

SP3 		DB3 	DF3 	DX3 
SP4 		DB4 	DF4 	DX4 
SP5 	SF5 	DB5 	DF5 	DX5 
SP6 	SF6 	DB6 	DF6 	DX6 
SP7 	SF7 	DB7 	DF7 	DX7 
SP8 	SF8 		DF8 	DX8 
SP9 	SF9 		DF9 	DX9 
SP10 	SF10 		DF10 	DX10 
EZCHANGE [™] CONCRETE POLISHING	FLEXIBLE PADS MAXIMUM GLOSS CONCRETE POLISHING	EZCHANGE [™] CONCRETE GRINDING AND HONING	EZCLICK [™] CEMENTITIOUS TOPPING CONCRETE	RESIN PADS MARBLE, LIMESTONE TERRAZZO, CONCRETE

EZ TOOL SYSTEM

DIAMOND TOOLS FOR REMOVAL AND SURFACE PREPARATION

HUSQVARNA SUPERPREP SERIES


A series of tools that has all capabilities you need to deliver profitable results and finish the job on time. The series combines the EZ PREP series, along with the well-known T-Rex™ and Ravager tools. All gathered and packaged under the name Husqvarna Superprep.



PRODUCT NUMBER	NAME	COATING REMOVAL
EZ PREP SERIES		
598 88 56-02	EZ PREP S1	0-1 mm
598 88 57-02	EZ PREP M1	0-1 mm
598 88 58-02	EZ PREP H1	0-1 mm
598 88 54-02	EZ PREP O	0-2 mm
EZ T-REX™ SUPER		
598 88 61-01	EZ T-Rex™ SUPER A	1-3 mm
598 88 63-01	EZ T-Rex™ SUPER B	1-3 mm
598 88 62-01	EZ T-Rex™ SUPER A Protective segment	1-3 mm
598 88 64-01	EZ T-Rex™ SUPER B Protective segment	1-3 mm
EZ T-REX™ CLASSIC		
598 88 65-01	EZ T-Rex™ Classic A	1-3 mm
598 88 67-01	EZ T-Rex™ Classic B	1-3 mm
598 88 66-01	EZ T-Rex™ Classic A Protective segment	1-3 mm
598 88 68-01	EZ T-Rex™ Classic B Protective segment	1-3 mm
EZ T-REX™ DOME		
598 88 59-01	EZ T-Rex™ Dome A Protective segment	>3 mm
598 88 60-01	EZ T-Rex™ Dome B Protective segment	>3 mm
T-REX™ RINGS		
593 33 10-01	T-Rex™ RING CLASSIC 160 mm	1-3 mm
593 34 60-06	T-Rex™ RING SUPER A 230 mm Protect segment	1-3 mm
593 34 60-05	T-Rex™ RING SUPER B 230 mm Protect segment	1-3 mm
593 34 60-03	T-Rex™ RING SUPER A 270 mm Protect segment	1-3 mm
593 34 60-04	T-Rex™ RING SUPER B 270 mm Protect segment	1-3 mm

HUSQVARNA RAVAGER SERIES

The RAVAGER tool has high wear resistance and creates a homogeneously bush-hammered surface.



PRODUCT NUMBER	NAME	DIAMETER, MM	NO. OF ROLLS	RECOMMENDED WITH
531 28 99-18	Ravager 180	180		HTC 450
531 28 99-30	Ravager 230	230	3	HTC 6, HTC 650 series, HTC 5, HTC 500 series and the HTC 510
531 28 99-70	Ravager 270	270	3	HTC 950, HTC 8 and HTC 800 series.
531 28 99-71	Ravager 270	270	6	HTC 950, HTC 8 and HTC 800 series



HUSQVARNA SMHXX METAL TOOLS

A series of tools consisting of five different tool series developed for concrete grinding.



PRODUCT NUMBER	NAME	COLOUR	SINGLE/ DOUBLE	GRIT SIZE (MESH)	MOH'S SCRATCH TEST
EZ S SERIES – For soft concrete					
598 88 20-02	EZ S2	Gold	Double	25	From 2 to 3
598 88 21-02	EZ S3	Grey	Double	40	From 2 to 3
598 88 22-02	EZ S4	Brown	Double	80	From 2 to 3
598 88 23-02	EZ S5	Black	Double	150	From 2 to 3
EZ M SERIES – For medium concrete					
598 88 24-02	EZ M2	Gold	Double	25	From 3 to 5
598 88 24-01	EZ M2	Gold	Single	25	From 3 to 5
598 88 25-02	EZ M3	Grey	Double	40	From 3 to 5
598 88 25-01	EZ M3	Grey	Single	40	From 3 to 5
598 88 26-02	EZ M4	Brown	Double	80	From 3 to 5
598 88 26-01	EZ M4	Brown	Single	80	From 3 to 5
598 88 27-02	EZ M5	Black	Double	150	From 3 to 5
598 88 27-01	EZ M5	Black	Single	150	From 3 to 5
EZ H SERIES – For hard concrete					
598 88 32-02	EZ H2	Gold	Double	25	From 5 to 7
598 88 32-01	EZ H2	Gold	Single	25	From 5 to 7
598 88 33-02	EZ H3	Grey	Double	40	From 5 to 7
598 88 33-01	EZ H3	Grey	Single	40	From 5 to 7
598 88 34-02	EZ H4	Brown	Double	80	From 5 to 7
598 88 34-01	EZ H4	Brown	Single	80	From 5 to 7
598 88 35-02	EZ H5	Black	Double	150	From 5 to 7
598 88 35-01	EZ H5	Black	Single	150	From 5 to 7
EZ X SERIES – For extremely hard concrete					
598 88 40-02	EZ X2	Gold	Double	25	From 7 to 9
598 88 40-01	EZ X2	Gold	Single	25	From 7 to 9
598 88 41-02	EZ X3	Grey	Double	40	From 7 to 9
598 88 41-01	EZ X3	Grey	Single	40	From 7 to 9
598 88 42-02	EZ X4	Brown	Double	80	From 7 to 9
598 88 42-01	EZ X4	Brown	Single	80	From 7 to 9
598 88 43-02	EZ X5	Black	Double	150	From 7 to 9
598 88 43-01	EZ X5	Black	Single	150	From 7 to 9
EZ XX SERIES – For extremely hard concrete					
598 88 48-02	EZ XX2	Gold	Double	25	9 and above
598 88 48-01	EZ XX2	Gold	Single	25	9 and above
598 88 49-02	EZ XX3	Grey	Double	40	9 and above
598 88 49-01	EZ XX3	Grey	Single	40	9 and above
598 88 50-02	EZ XX4	Brown	Double	80	9 and above
598 88 50-01	EZ XX4	Brown	Single	80	9 and above



POLISHING TOOLS

HUSQVARNA SF SERIES

Resin-bonded polishing tools on a flexible backing pad, with magnetic attachment system (no failing glue or hook and loop solutions). For dry polishing providing unsurpassed gloss and DOI. Fantastic results from low grit sizes.



PRODUCT NUMBER	NAME	COLOUR	DIAMETER, MM	GRIT SIZE
529 64 08-01	SF5	Black	180	100
529 64 08-02	SF5	Black	230	100
529 64 08-03	SF5	Black	270	100
529 64 09-01	SF6	Blue	180	200
529 64 09-02	SF6	Blue	230	200
529 64 09-03	SF6	Blue	270	200
529 64 10-01	SF7	Red	180	400
529 64 10-02	SF7	Red	230	400
529 64 10-03	SF7	Red	270	400
529 64 11-01	SF8	White	180	800
529 64 11-02	SF8	White	230	800
529 64 11-03	SF8	White	270	800
529 64 12-01	SF9	Yellow	180	1500
529 64 12-02	SF9	Yellow	230	1500
529 64 12-03	SF9	Yellow	270	1500
529 64 07-01	SF10	Green	180	3000
529 64 07-03	SF10	Green	270	3000

HUSQVARNA EZ SP SERIES

An all-round polishing series with capabilities to reach high gloss levels from 400 grit and up. At the same time improved cutting rates on lower grits.



PRODUCT NUMBER	NAME	COLOUR	GRIT SIZE
529 64 04-03	EZ SP3	Grey	40
529 64 04-04	EZ SP4	Brown	80
529 64 04-05	EZ SP5	Black	100
529 64 04-06	EZ SP6	Blue	200
529 64 04-07	EZ SP7	Red	400
529 64 04-08	EZ SP8	White	800
529 64 04-09	EZ SP9	Yellow	1500
529 64 04-10	EZ SP10	Green	3000

HUSQVARNA DB SERIES

Diamond Block are premium tools for all-round polishing and honing with a range between 40-400 grit, perfect for when a 'puck-design' resin tool is preferred. Can be used for wet and dry polishing.



PRODUCT NUMBER	NAME	COLOUR	GRIT SIZE
529 64 03-03	DB3	Grey	40
529 64 03-04	DB4	Brown	80
529 64 03-05	DB5	Black	100
529 64 03-06	DB6	Blue	200
529 64 03-07	DB7	Red	400

HUSQVARNA DF SERIES


Diamond Fenix series are perfect for grinding and polishing of concrete and cementitious toppings such as overlays or, screed. Can be used both wet and dry.



PRODUCT NUMBER	NAME	COLOUR	DIAMETER, MM	GRIT SIZE (MESH)
593 34 26-02	DF3	Grey	180	40
593 34 26-03	DF3	Grey	230	40
593 34 26-04	DF3	Grey	270	40
593 34 27-02	DF4	Brown	180	80
593 34 27-03	DF4	Brown	230	80
593 34 27-04	DF4	Brown	270	80
593 34 29-02	DF5	Black	180	150
593 34 29-03	DF5	Black	230	150
593 34 29-04	DF5	Black	270	150
593 34 31-02	DF6	Blue	180	200
593 34 31-03	DF6	Blue	230	200
593 34 31-04	DF6	Blue	270	200
593 34 30-02	DF7	Red	180	400
593 34 30-03	DF7	Red	230	400
593 34 30-04	DF7	Red	270	400
593 34 32-02	DF8	White	180	800
593 34 32-03	DF8	White	230	800
593 34 32-04	DF8	White	270	800
593 34 33-02	DF9	Yellow	180	1500
593 34 33-03	DF9	Yellow	230	1500
593 34 33-04	DF9	Yellow	270	1500
593 68 56-02	DF10	Green	180	3000
593 68 56-03	DF10	Green	230	3000
593 34 25-04	DF10	Green	270	3000

HUSQVARNA DX SERIES

Diamond Xpress is a grinding system specifically developed for dry-processing of natural stone such as marble, terrazzo, and limestone. The specific formula and design makes it also a very good polishing tool for hard concrete floors.



PRODUCT NUMBER	NAME	COLOUR	DIAMETER, MM	GRIT SIZE (MESH)
593 34 19-03	DX3	Grey	180	40
593 34 19-01	DX3	Grey	230	40
593 34 19-02	DX3	Grey	270	40
593 34 20-03	DX4	Brown	180	80
593 34 20-01	DX4	Brown	230	80
593 34 20-02	DX4	Brown	270	80
593 34 21-03	DX5	Black	180	150
593 34 21-01	DX5	Black	230	150
593 34 21-02	DX5	Black	270	150
593 34 22-03	DX6	Blue	180	200
593 34 22-01	DX6	Blue	230	200
593 34 22-02	DX6	Blue	270	200
593 34 23-03	DX7	Red	180	400
593 34 23-01	DX7	Red	230	400
593 34 23-02	DX7	Red	270	400
593 34 24-03	DX8	White	180	800
593 34 24-01	DX8	White	230	800
593 34 24-02	DX8	White	270	800
593 34 25-03	DX9	Yellow	180	1500
593 34 25-01	DX9	Yellow	230	1500
593 34 25-02	DX9	Yellow	270	1500
593 34 18-03	DX10	Green	180	3000
593 34 18-01	DX10	Green	230	3000
593 34 18-02	DX10	Green	270	3000

TOOLS FOR WOOD GRINDING

EZ SL SERIES



DESCRIPTION	PRODUCT NO.	GRIT
EZ SL 30 Wood	598 88 70-01	25
EZ SL 50 Wood	598 88 71-01	40
EZ SL 70 Wood	598 88 72-01	70

Sold as 3-pack.

TOOL HOLDERS



DESCRIPTION	PRODUCT NO.
Elastic tool holder EZ 180 3	593 31 92-01
Elastic tool holder EZ 230 3	593 31 92-02
Tool holder wood sanding 180 mm	593 31 48-01
Tool holder wood sanding 230 mm	593 31 48-02
Foamflex for wood sanding 180 mm	593 31 40-02
Foamflex for wood sanding 230 mm	593 31 40-03
Pad holder 180 mm	593 31 47-02
Pad holder 230 mm	593 31 47-03

Sold as single units.

SANDING PAPER



DESCRIPTION	PRODUCT NO.	GRIT
Sanding paper 180	593 34 36-01	40
Sanding paper 180	593 34 37-01	60
Sanding paper 180	593 34 38-01	80
Sanding paper 180	593 34 39-01	100
Sanding paper 180	593 34 40-02	120
Sanding paper 230	593 34 36-02	40
Sanding paper 230	593 34 37-02	60
Sanding paper 230	593 34 38-02	80
Sanding paper 230	593 34 39-02	100
Sanding paper 230	593 34 40-03	120

Sold as single units.

OIL PAD



DESCRIPTION	PRODUCT NO.
Oil pad 180 mm	593 77 23-02

Sold as 3-pack.

HUSQVARNA DIAMOND TOOL SELECTOR APP

How do you handle the complex decision on which diamond tools to use and the quantity needed for your next job? Download the handy Husqvarna Diamond Tools Selector app! You will save valuable time and get the right tools for the job, right from the start, every time. Available for free from App Store.





HIPERCLEAN CLEANING/MAINTENANCE AND BURNISHING PADS

Diamond impregnated pads that will help maintain the aesthetic and functional aspects of your polished concrete floor when used for daily cleaning with standard floor scrubbers. No additional cleaning chemicals will be needed. You can also refine polished floors by using Hiperclean pads with floor grinders or burnishers.



HUSQVARNA HIPERCLEAN DRY PADS

Ideal for cleaning concrete polished floors. Use with PG 450, PG 530, PG 680 and PG 820 Husqvarna grinders, hand tooling and burnishing equipment.

PRODUCT NUMBER	DIMENSION, MM	GRIT SIZE (MESH)	MACHINE APPLICATION
542 87 00-76	127	400	Hand Grinder
542 87 00-77	127	800	Hand Grinder
542 87 00-78	127	1500	Hand Grinder
542 87 00-79	127	3000	Hand Grinder
501 76 40-07	180	400	HTC 450, PG 450
501 76 40-01	180	800	HTC 450, PG 450
501 76 40-02	180	1500	HTC 450, PG 450
501 76 40-03	180	3000	HTC 450, PG 450
501 76 40-08	230	400	HTC 6, HTC 650 series, HTC 5, HTC 500, PG 540, PG 510
501 76 40-04	230	800	HTC 6, HTC 650 series, HTC 5, HTC 500, PG 540, PG 510
501 76 40-05	230	1500	HTC 6, HTC 650 series, HTC 5, HTC 500, PG 540, PG 510
501 76 40-06	230	3000	HTC 6, HTC 650 series, HTC 5, HTC 500, PG 540, PG 510
501 76 40-09	270	400	HTC 950, HTC 8 and HTC 800 series. PG 830, PG 830 RC, PG 690, PG 690 RC
501 76 40-10	270	800	HTC 950, HTC 8 and HTC 800 series. PG 830, PG 830 RC, PG 690, PG 690 RC
501 76 40-11	270	1500	HTC 950, HTC 8 and HTC 800 series. PG 830, PG 830 RC, PG 690, PG 690 RC
501 76 40-12	270	3000	HTC 950, HTC 8 and HTC 800 series. PG 830, PG 830 RC, PG 690, PG 690 RC
589 81 05-05	400	400	Floor scrubbers and burnishers
589 81 05-06	400	800	Floor scrubbers and burnishers
589 81 05-07	400	1500	Floor scrubbers and burnishers
589 81 05-08	400	3000	Floor scrubbers and burnishers
542 87 00-80	430	400	Floor scrubbers and burnishers
542 87 00-81	430	800	Floor scrubbers and burnishers
542 87 00-82	430	1500	Floor scrubbers and burnishers
542 87 00-83	430	3000	Floor scrubbers and burnishers
542 87 00-84	530	400	Floor scrubbers and burnishers
542 87 00-85	530	800	Floor scrubbers and burnishers
542 87 00-86	530	1500	Floor scrubbers and burnishers
542 87 00-87	530	3000	Floor scrubbers and burnishers
542 87 00-88	600	400	Floor scrubbers and burnishers
542 87 00-89	600	800	Floor scrubbers and burnishers
542 87 00-90	600	1500	Floor scrubbers and burnishers
542 87 00-91	600	3000	Floor scrubbers and burnishers
542 87 00-92	685	400	Floor scrubbers and burnishers
542 87 00-93	685	800	Floor scrubbers and burnishers
542 87 00-94	685	1500	Floor scrubbers and burnishers
542 87 00-95	685	3000	Floor scrubbers and burnishers