

COMPLETE SYSTEMS FOR BEST-IN-CLASS DUST AND SLURRY MANAGEMENT



Concrete dust and slurry need to be removed in a safe and efficient way to protect you and your team from dust exposure. With Husqvarna, you get access to guidance, knowledge and a broad, fully integrated range of highly efficient equipment for dust and slurry management, enabling you to comply with rules and regulations without compromising your productivity.

RANGE OVERVIEW

Husqvarna's range of equipment for dust and slurry management covers all needs and applications within the construction industry – from compact 1-phase dust extractors and efficient slurry vacuums to large, powerful 3-phase dust extractors for heavy-duty jobs. The easily portable air cleaners equipped with HEPA H13 filters complete the setup for a workplace with minimal dust particles.



T 10000 D 80 T 7500 D 60 T 4000 S 36 DE 120 DE 110 DE 110i S 11







W 70 P W 70 W 250 P



A 2000 A 1000

	W 70 P	W 70	W 250 P	A 2000	A 1000
Core drill motors					
Power cutters					
Wall saws					
Angle grinders					
Masonry saws					
Floor grinders					
DXR					



Alt 6 air changes/h
 Alt 10 air changes/h
***NOTES TO WORK AREA**
 Please note, Work area calculation based on a ceiling height of 2.5 m.



T10000 T7500 HTC D 80 HTC D 60 DC 6000 T4000

TECHNICAL SPECIFICATIONS

Power, kW	11	5.5	7.5	5.5	5.75	4
Voltage, V	380 - 415	380 - 415	230-400	230-480	380 - 480	380 - 415
Max rated current, A	32	16	16.7	15	16	16
Auxiliary outlet, W	N/A	N/A	N/A	N/A	Yes	N/A
Power supply	3-phase	3-phase	3-phase	3-phase	3-phase	3-phase
Max airflow at turbine, m³/h	900	600	700	530	700	400
Max vacuum, kPa	30	28	38	37.5	-	26
Suction inlet diameter, mm	76	76	76	76	76	63
Primary filter surface area, m²	3.9	2.9	3.5	4	3	4.5
HEPA H13 filter surface area, m²	7.5	5	20.8	6	7.8	2.4
Number of HEPA H13 filters	3	2	3	2	1	2
Classification	-	H	-	-	-	H
Dimensions (L × W × H), mm	1400 × 736 × 1727	1245 × 686 × 1753	1170 × 800 × 1730/1810	1235 × 680 × 1400/1920	1252 × 766 × 1899	830 × 620 × 1500
Weight, kg	336	206	272	179	305	106

RECOMMENDED EQUIPMENT

PG 830 RC, PG 830, HTC 8, HTC 6, PG 690 RC, PG 690, PG 540, scarifiers, shotblasters, shavers	HTC 6, PG 830, PG 690 RC, PG 690, PG 540, scarifiers, shotblasters, shavers	PG 830 RC, PG 830, HTC 8, HTC 6, PG 690 RC, PG 690, PG 540	HTC 6, PG 690 RC, PG 690, PG 540	PG 830 RC, PG 830, PG 690 RC, PG 690, PG 540	PG 540 (3-phase), PG 510, PG 450, PG 400, scarifiers, floor strippers
---	---	--	----------------------------------	--	---

ARTICLE INFORMATION

967 66 37-04 Supplied with: One 76 mm hose (10 m) Camlock adapter 76-50 mm One 51 mm hose (7.5 m) Wand 51 mm Floor tool 51 mm, 450 mm wide One Longopac® bag	967 66 41-04 Supplied with: One 76 mm hose (10 m) Camlock adapter 76-50 mm One 51 mm hose (7.5 m) Wand 51 mm Floor tool 51 mm, 450 mm wide One Longopac® bag	967 83 90-12 (without remote) 967 83 90-13 (with remote) Supplied with: One 63 mm hose (10 m) One 76 mm hose (10 m) Wand 51 mm Floor tool 51 mm, 450 mm wide	967 83 99-13 (without remote) 967 83 99-11 (with remote) Supplied with: One 51 mm hose (3.3 m) One 76 mm hose (76 mm) Wand 51 mm Floor tool 51 mm, 450 mm wide	967 62 50-01 Supplied with: One 75 mm hose (10 m) One 51 mm hose (10 m) Vacuum wand Floor tool Two Longopac® bags	967 70 22-01 Supplied with: One 63 mm hose (10 m) One 51 mm hose (7.5 m) Connector straight to 76 mm Wand 51 mm Floor tool 51 mm, 450 mm wide One Longopac® bag
--	--	--	--	---	--

NOTE: Every single HEPA filter is individually tested and certified at filtration rate 99.95% at 0.3 microns.



W70 P



W70



W250 P

TECHNICAL SPECIFICATIONS

Power, kW	1.2	1.2	1.2
Voltage, V	220 - 230	220 - 230	220 - 230
Max rated current, A	8	5	7
Power supply	1-phase	1-phase	1-phase
Airflow, m³/h	200	200	160
Max vacuum, kPa	22	22	22
Suction inlet diameter, mm	38	38	38
Pump power, kW	0.65	-	0.35
Pump discharge, liter/min	260	-	150
Container capacity, liter	70	70	29
Dimensions (L×W×H), mm	600 × 570 × 1250	600 × 570 × 1250	530 × 520 × 910
Weight, kg	44	34	27

RECOMMENDED EQUIPMENT

Wall and wire saws, floor saws, core drill motors, power cutters, masonry and tile saws	Core drill motors, power cutters, masonry and tile saws	Core drill motors, power cutters, masonry and tile saws
---	---	---

ARTICLE INFORMATION

967 66 47-04, Supplied with 1 hose, 38 mm (3 m), 1 wand, 38 mm, 1 floor tool, 38 mm, 370 mm wide and 1 disposable wet bag	967 70 20-02, Supplied with 1 hose, 38 mm (3 m), 1 wand, 38 mm, 1 floor tool, 38 mm, 370 mm wide and 1 disposable wet bag	967 70 21-02, Supplied with 1 hose, 38 mm (3 m), 1 wand, 38 mm, 1 floor tool, 38 mm, 370 mm wide and 1 disposable wet bag
---	---	---



S 36 DE 120 DE 110 DE 110I DE 110 S S 11

3.6	2.2	1.1	0.9	0.9	1.2
220–230	220–240	220–240	36	220–240	220–230
14	10	5	N/A	4	5.2
–	N/A	Yes (2300 W max)	N/A	Yes (2300 W max)	Yes (500 W max)
1-phase	1-phase	1-phase	Battery	1-phase	1-phase
600	480	240	215	215	212
22	20	20	18	20	22
63	51	38	38	38	38
4.5	2.7	1.4	1.4	1.4	–
3.6	2.4	1.2	1.2	1.2	0.86
3	2	1	1	1	2
H	H	H	H	H	H
830×620×1500	815×542×1125	671×400×1000	673×400×1000	672×400×1000	450×390×490
65	39	25	26 (Excluding batteries)	25	15

PG 540 (1-phase), PG 510, PG 450, PG 400, PG 280, scarifiers, floor strippers	HTC 270EG, PG 280, PG 450, core drill motors, power cutters, angle grinders (180 mm), shotblasters (1-ph), floor strippers, scarifiers, various other power tools	DM 200, DM 220, DM 230, angle grinders (125 mm), hand drills, wall chasers, other handheld power tools, construction site cleaning	K 535i, DM 540i, DM 200, DM 220, DM 230, angle grinders (125 mm), hand drills, wall chasers, other handheld power tools, construction site cleaning	DM 200, DM 220, DM 230, angle grinders (125 mm), hand drills, wall chasers, other handheld power tools, construction site cleaning	Core drill motors, power cutters, handheld power tools and general
---	---	--	---	--	--

967 66 38-07 Supplied with: One 63 mm hose (10 m) One 51 mm hose (7.5 m) Wand 51 mm Floor tool 51 mm, 450 mm wide One Longopac® bag	970 51 48-01 Supplied with: 51 mm hose kit (7.5 m) Wand 51 mm Floor tool 51 mm, 450 mm wide Dust cap One Longopac® bag	970 50 94-01 Supplied with: 38 mm hose kit (5 m) Wand 38 mm Floor tool 38 mm, 370 mm wide Multiadapter 38 mm Dust cap One Longopac® bag	970 51 49-02 Supplied with: 38 mm hose kit (5 m) Wand 38 mm Floor tool 38 mm, 370 mm wide Multiadapter 38 mm Dust cap One Longopac® bag	970 50 96-01 Supplied with: 38 mm hose kit (5 m) Wand 38 mm Floor tool 38 mm, 370 mm wide Multiadapter 38 mm Dust cap One Longopac® bag	970 46 66-01 Supplied with: One 38 mm hose (4 m) Wand 38 mm Floor tool 38 mm, 370 mm wide PE bag
---	--	--	--	--	---



C 5500 C 3000

TECHNICAL SPECIFICATIONS	
Suction inlet diameter, mm	76 63
Volume, liter	100 37
Weight, kg	67 22

RECOMMENDED EQUIPMENT	
	T 10000, T 7500 T 4000, S 36, DE 120

ARTICLE INFORMATION	
	967 66 46-01 Supplied with Longopac® One 76 mm hose 10 mm incl. Cam-lock female on both sides
	967 66 45-01 Supplied with Longopac® and Hose 63 mm 2.5 m incl. adapters



A 2000 A 1000

TECHNICAL SPECIFICATIONS		
Power, kW	0.75	0.285
Voltage, V	220–230	220–230
Max rated current, A	3.3	1.2
Max load auxiliary outlet, W	1200	1600
Power supply	1-phase	1-phase
Airflow, m³/h	2000	1000
Primary filter surface area, m²	0.64	0.16
HEPA H13 filter surface area, m²	10.5	3.5
Dimensions (L×W×H), mm	460×700×820	400×440×440
Weight, kg	38	18

ARTICLE INFORMATION		
	967 67 22-02 Supplied with: Pre filter 1 pc Hepa H13 filter 1 pc Pre filter cover 1 pc	967 67 23-02 Supplied with: Pre filter 1 pc Hepa H13 filter 1 pc Pre filter cover 1 pc

NOTE: Every single HEPA filter is individually tested and certified at filtration rate 99.95% at 0.3 microns.

ACCESSORIES FOR DUST AND SLURRY MANAGEMENT

	PART NUMBER	3-PHASE DUST EXTRACTORS						1-PHASE DUST EXTRACTORS			S 11
		T 10000	T 7500	HTC D 80	HTC D 60	T 4000	DC 6000	S 36	DE 120	DE 110/ DE 110i/ DE 110S	
1	Bag Longopac®, 4 × 25 meters	590 42 92-01	●	●	●	●	●	●	●	●	
1	Longopac®, extra strong	593 44 64-01	●	●	●	●	●	●	●	●	
1	Bag Longopac®, DC 6000	584 65 02-01			●	●	●				
1	Longopac recycled	529 68 10-01	●	●	●	●	●	●	●	●	
	PE bag	599 53 22-01									●
	Fleece bag (5 pcs)	529 31 31-02									●
2	Pre-filter, sock assy T 10000	590 43 86-01	●								
2	Pre-filter, sock assy T 7500	590 43 88-01		●							
2	Pre-filter, sock assy D 80	593 53 06-01			●						
	Pre-filter D 60	593 54 59-01				●					
3	HEPA-filter H13 T-Line	590 42 97-01	●	●							
	HEPA-filter D 80	593 44 40-01			●						
	HEPA-filter D 60	593 54 55-01				●					
4	Hose complete 76 mm, 10 m (2x cam-lock female)	590 43 70-01	●	●							
4	76 mm vacuum hosing with end fittings (10 m), 1x cam-lock male and 1x cam-lock female	525 58 46-01			●	●	●				
5	Hose 51 mm/7.5 m hose inc. adapters for cleaning kit	590 42 81-01	●	●							
5	Hose 51 mm/7.5 m hose inc. adapters	536 35 55-01				●		●	●		
	Hose 51 mm anti-static/7.5 m hose inc. adapters	536 35 56-01				●		●	●		
5	Hose 38 mm/5 m hose complete inc. adapters	536 35 53-01								●	
	Hose 38 mm anti-static/5 m hose inc. adapters	536 35 54-01								●	
6	Camlock adaptor female 76 mm – 50 mm (i.e. for T-Line cleaning kit)	590 43 65-01	●	●							
7	Camlock adaptor male 76 mm – 50 mm (i.e. for cleaning kit to 76 mm hose)	591 96 21-01	●	●							
8	Wand 50 mm	536 34 42-01	●	●			●	●	●		
8	Wand 38 mm	536 64 42-01								●	●
9	Floor tool 450 mm rubber 50 mm	536 34 39-01	●	●			●	●			
9	Floor tool 370 mm rubber 38 mm	529 80 50-01								●	●
10	Tool rubber blade set, 370 mm	529 80 42-01								●	●
10	Replacement rubber strips kit	521 91 21-01					●				
	Tool brush strips set, 450 mm	599 59 42-01	●	●			●	●			
	Tool brush blade set, 370 mm	599 59 41-01								●	●
11	Pre-filter	590 43 02-02				●		●			
11	Pre-filter	536 37 27-01						●			
11	Pre-filter	536 37 26-01								●	
12	HEPA-filter H13	534 12 36-01				●		●	●	●	
	HEPA filter cartridge	590 42 98-01				●		●			
	HEPA filter cartridge	591 92 40-01									●
13	Adapter, 63 mm hose to 76 mm straight	590 42 94-01				●		●			
14	Camlock female to 76 mm	590 42 87-01				●		●			
14	Adapter 76 mm Camlock to 50 mm straight	590 43 65-01				●		●			
15	HEPA 13 filter	579 75 88-01					●				
16	50 mm vacuum hosing with end fittings (10 m)	585 87 10-01					●				
17	Floor tool with vacuum wand	585 87 09-01					●				
18	Plastic adapter	585 64 76-01					●				
19	Replacement brush kit	510 27 85-01					●				
20	Black 75 mm ring	502 53 40-05					●				
21	Dust shroud 180 mm	593 01 04-03						●	●		
21	Dust shroud 125 mm M14	593 01 04-01							●		●
21	Dust shroud 125 mm	593 01 04-02							●		
22	Dust hood 102 – 125 mm (exc adaptor)	593 80 07-01						●	●	●	
23	Dust hood 180–230 mm (exc adaptor)	593 80 07-02						●	●		
24	Dust bug 90 mm	593 05 54-01						●	●	●	●
25	Dust bug 180 mm	593 05 54-02						●	●		
26	Dust boot	593 80 30-01						●	●		
27	Vac Kit Attachment K 4000	523 09 50-01						●	●	●	
27	Vac Kit Attachment K 1 PACE	529 57 79-01							●		
27	Vac Kit Attachment K 535i	594 07 78-01							●	●	●
28	Dust shroud 125 mm M 14	593 01 04-01								●	
29	Dust shroud 125 mm	593 01 04-02								●	
	Extension Camlock adaptor male 76 mm – male 76 mm	591 96 17-01	●	●							
	Hose complete 63 mm 10 m (S 36, T 4000)	590 43 74-01					●				
	Multi adaptor 51 mm hose	594 95 68-01						●	●		
	Multi adapter 38 mm hose	594 95 69-01								●	
	Hose cap 38/51 mm	536 34 97-01				●		●	●	●	
	Multi hose-hose connector	536 13 44-01	●	●	●	●	●	●	●	●	●
36	Hose bag, 280 litres	531 09 92-02	●	●	●	●	●	●	●		
36	Hose bad, 70 litres	531 09 92-01								●	●

	PART NUMBER	PRE-SEPARATORS		AIR CLEANERS		SLURRY VACUUMS		
		C 5500	C 3000	A 2000	A 1000	W 250P	W 70	W 70P
1	Bag Longopac®, 4 pcs	590 42 92-01	●	●				
4	Hose complete, 76 mm 10 m	590 43 70-01	●					
30	Pre filter A 2000 (20 pack)	590 43 00-02			●			
30	Pre-filter A 1000 (20 pack)	590 43 00-01					●	
30	Carbon filter A 2000	591 99 40-01			●			
30	Carbon filter A 1000	591 99 41-01					●	
31	Hepa filter A 2000	590 42 77-01			●			
31	Hepa filter A 1000	590 46 08-01					●	
32	Transport cover A 2000	590 42 95-02			●			
32	Transport cover A 1000	591 96 91-01					●	
33	Inlet Hose Adaptor A 2000	590 43 78-01			●			
33	Inlet Hose Adaptor A 1000	590 43 79-01					●	
34	Hose, A 2000 (254 mm × 6 m)	591 50 82-01			●			
34	Hose, A 1000 (160 mm × 6 m)	591 50 44-01					●	
	Hose complete, 63 mm 10 m	590 43 74-01	●	●				
	Hose complete, 63 mm 2.5 m	591 97 09-01		●				
35	Slurry Rings WSR 100 mm	593 56 30-01				●	●	●
35	Slurry Rings WSR 150 mm	593 56 30-02				●	●	●
35	Slurry Rings WSR 200 mm	593 56 30-03				●	●	●
35	Slurry Rings WSR 250 mm	593 56 30-04				●	●	●
35	Slurry Rings WSR 300 mm	593 56 30-05				●	●	●
35	Slurry Rings WSR 350 mm	593 56 30-06				●	●	●



DUST AND SLURRY SYSTEMS GUIDE



DRY APPLICATIONS	T 10000	T 7500	T 4000	HTC D 80	HTC D 60	DC 6000	S 36	DE 120	DE 110/ DE 110i/ DE 110 S
FLOOR SCRAPERS									
BS 75								•	
BS 110								•	
BMS 150							•		
BMS 220ADB									
SCARIFIERS									
CG 200 / CG 200							•	•	
BMP 215 / BMP 215PETROL							•	•	
BMP 265 / BMP 265PETROL			•				•		
BMP 335		•							
BMP 4000RC									
SHAVERS									
BMC 335 / BMC 335RC	•								
BMP 4000RC									
SINGLE DISC GRINDERS									
BGS 250								•	
BG 250							•		
PG 280								•	
PG 400			•				•		
HTC 270 EG								•	
BB 700							•		
PLANETARY GRINDERS									
BMG 444							•		
PG 450			•				•	•	
PG 510			•				•		
HTC 5									
PG 540			•				•		
BMG 555		•	•						
HTC T6/RT6/X6/RX6	•	•		•	•				
PG 690 / PG 690 RC	•	•		•	•	•			
BMG 780 / BMG 780RC	•	•		•	•				
HTC X8/RX8	•			•	•				
PG 830 S / PG 830/830 RC	•	•		•	•	•			
HTC 950 RX	•			•	•				
HANDHELD GRINDERS									
HG 125 B									•
BGV 125 AV									•
BHG 125 G125									•
BHG 125 G5									•
BGV 180 AV0								•	•
BHG 180 G180								•	•
BHG 180 G7								•	•

• Attached to machine + Part of solution

